


CLAIMS:

1. A compound represented by formula (I):




wherein

X is hydrogen, halogen, trifluoromethyl, lower alkyl, unsubstituted or substituted phenyl, lower alkyl-thio, phenyl-lower alkyl-thio, lower alkyl-sulfonyl, or phenyl-lower alkyl-sulfonyl;


Y is hydrogen, hydroxyl, mercapto, lower alkoxy, lower alkyl-thio, halogen, lower alkyl, unsubstituted or substituted mononuclear aryl, or  $-N(R^2)_2$ ;

$R^1$  is hydrogen or lower alkyl;

each  $R^2$  is, independently,  $-R^7$ ,  $-(CH_2)_m-OR^8$ ,  $-(CH_2)_m-NR^7R^{10}$ ,  $-(CH_2)_n(CHOR^8)(CHOR^8)_n-CH_2OR^8$ ,  $-(CH_2CH_2O)_m-R^8$ ,  $-(CH_2CH_2O)_m-CH_2CH_2NR^7R^{10}$ ,  $-(CH_2)_n-C(=O)NR^7R^{10}$ ,  $-(CH_2)_n-Z_g-R^7$ ,  $-(CH_2)_m-NR^{10}-CH_2(CHOR^8)(CHOR^8)_n-CH_2OR^8$ ,  $-(CH_2)_n-CO_2R^7$ , or




$R^3$  and  $R^4$  are each, independently, hydrogen, a group represented by formula (A), lower alkyl, hydroxy lower alkyl, phenyl, phenyl-lower alkyl, (halophenyl)-lower alkyl, lower-(alkylphenylalkyl), lower alkoxyphenyl-lower alkyl, naphthyl-lower alkyl, or pyridyl-lower alkyl, with the proviso that at least one of  $R^3$  and  $R^4$  is a group represented by formula (A):



wherein

each  $\text{R}^{\text{L}}$  is, independently,  $-\text{R}^7$ ,  $-(\text{CH}_2)_n\text{---OR}^8$ ,  $-\text{O}-(\text{CH}_2)_m\text{---OR}^8$ ,  
 $-(\text{CH}_2)_n\text{---NR}^7\text{R}^{10}$ ,  $-\text{O}-(\text{CH}_2)_m\text{---NR}^7\text{R}^{10}$ ,  $-(\text{CH}_2)_n(\text{CHOR}^8)(\text{CHOR}^8)_n\text{---CH}_2\text{OR}^8$ ,  
 $-\text{O}-(\text{CH}_2)_m(\text{CHOR}^8)(\text{CHOR}^8)_n\text{---CH}_2\text{OR}^8$ ,  $-(\text{CH}_2\text{CH}_2\text{O})_m\text{---R}^8$ ,  
 $-\text{O}-(\text{CH}_2\text{CH}_2\text{O})_m\text{---R}^8$ ,  $-(\text{CH}_2\text{CH}_2\text{O})_m\text{---CH}_2\text{CH}_2\text{NR}^7\text{R}^{10}$ ,  
 $-\text{O}-(\text{CH}_2\text{CH}_2\text{O})_m\text{---CH}_2\text{CH}_2\text{NR}^7\text{R}^{10}$ ,  $-(\text{CH}_2)_n\text{---C(=O)NR}^7\text{R}^{10}$ ,  
 $-\text{O}-(\text{CH}_2)_m\text{---C(=O)NR}^7\text{R}^{10}$ ,  $-(\text{CH}_2)_n\text{---(Z)}_g\text{---R}^7$ ,  $-\text{O}-(\text{CH}_2)_m\text{---(Z)}_g\text{---R}^7$ ,  
 $-(\text{CH}_2)_n\text{---NR}^{10}\text{---CH}_2(\text{CHOR}^8)(\text{CHOR}^8)_n\text{---CH}_2\text{OR}^8$ ,  
 $-\text{O}-(\text{CH}_2)_m\text{---NR}^{10}\text{---CH}_2(\text{CHOR}^8)(\text{CHOR}^8)_n\text{---CH}_2\text{OR}^8$ ,  
 $-(\text{CH}_2)_n\text{---CO}_2\text{R}^7$ ,  $-\text{O}-(\text{CH}_2)_m\text{---CO}_2\text{R}^7$ ,  $-\text{OSO}_3\text{H}$ ,  $-\text{O-glucuronide}$ ,  $-\text{O-glucose}$ , or



each  $\text{x}$  is, independently,  $\text{O}$ ,  $\text{NR}^7$ ,  $\text{C=O}$ ,  $\text{CHOH}$ ,  $\text{C=N-R}^6$ , or represents a single bond;

each  $o$  is, independently, an integer from 0 to 10;

each  $p$  is, independently, an integer from 0 to 10;

with the proviso that (a) the sum of  $o$  and  $p$  in each contiguous chain is from 1 to 10 when  $\text{x}$  is  $\text{O}$ ,  $\text{NR}^7$ ,  $\text{C=O}$ , or  $\text{C=N-R}^6$  or (b) that the sum of  $o$  and  $p$  in each contiguous chain is from 4 to 10 when  $\text{x}$  represents a single bond;

each  $\text{R}^6$  is, independently,  $-\text{R}^7$ ,  $-\text{OH}$ ,  $-\text{OR}^{11}$ ,  $-\text{N}(\text{R}^7)_2$ ,  $-(\text{CH}_2)_m\text{---OR}^8$ ,  
 $-\text{O}-(\text{CH}_2)_m\text{---OR}^8$ ,  $-(\text{CH}_2)_n\text{---NR}^7\text{R}^{10}$ ,  $-\text{O}-(\text{CH}_2)_m\text{---NR}^7\text{R}^{10}$ ,  
 $-(\text{CH}_2)_n(\text{CHOR}^8)(\text{CHOR}^8)_n\text{---CH}_2\text{OR}^8$ ,  $-\text{O}-(\text{CH}_2)_m(\text{CHOR}^8)(\text{CHOR}^8)_n\text{---CH}_2\text{OR}^8$ ,  
 $-(\text{CH}_2\text{CH}_2\text{O})_m\text{---R}^8$ ,  $-\text{O}-(\text{CH}_2\text{CH}_2\text{O})_m\text{---R}^8$ ,  $-(\text{CH}_2\text{CH}_2\text{O})_m\text{---CH}_2\text{CH}_2\text{NR}^7\text{R}^{10}$ ,  
 $-\text{O}-(\text{CH}_2\text{CH}_2\text{O})_m\text{---CH}_2\text{CH}_2\text{NR}^7\text{R}^{10}$ ,  $-(\text{CH}_2)_n\text{---C(=O)NR}^7\text{R}^{10}$ ,



or a pharmaceutically acceptable salt thereof, and  
inclusive of all enantiomers, diastereomers, and racemic mixtures thereof.

2. The compound of Claim 1, wherein Y is  $\text{-NH}_2$ .

5 3. The compound of Claim 2, wherein  $\text{R}^2$  is hydrogen.

4. The compound of Claim 3, wherein  $\text{R}^1$  is hydrogen.

5. The compound of Claim 4, wherein X is chlorine.

6. The compound of Claim 5, wherein  $\text{R}^3$  is hydrogen.

7. The compound of Claim 6, wherein each  $\text{R}^L$  is hydrogen.

10 8. The compound of Claim 7, wherein o is 4.

9. The compound of Claim 8, wherein p is 0.

10. The compound of Claim 9, wherein x represents a single bond.

11. The compound of Claim 10, wherein each  $\text{R}^6$  is hydrogen.

12. The compound of Claim 11, wherein at most one Q is a nitrogen atom.

15 13. The compound of Claim 12, wherein no Q is a nitrogen atom.

14. The compound of Claim 1, wherein

X is halogen;

Y is  $\text{-N(R}^7)_2$ ;

$\text{R}^1$  is hydrogen or  $\text{C}_1\text{-C}_3$  alkyl; and

20  $\text{R}^2$  is  $\text{-R}^7$ ,  $\text{-(CH}_2)_m\text{-OR}^7$ , or  $\text{-(CH}_2)_n\text{-CO}_2\text{R}^7$ ;

$R^3$  is a group represented by formula (A); and  
 $R^4$  is hydrogen, a group represented by formula (A), or lower alkyl;

15. The compound of Claim 14, wherein

X is chloro or bromo;

5 Y is  $-N(R^7)_2$ ;

$R^2$  is hydrogen or  $C_1$ - $C_3$  alkyl;

at most three  $R^6$  are other than hydrogen as defined above;

at most three  $R^L$  are other than hydrogen as defined above; and

at most 2 Q are nitrogen atoms.

10 16. The compound of Claim 15, wherein Y is  $-NH_2$ .

17. The compound of Claim 16, wherein

$R^4$  is hydrogen;

at most one  $R^L$  is other than hydrogen as defined above;

at most two  $R^6$  are other than hydrogen as defined above; and

15 at most 1 Q is a nitrogen atom.

18. The compound of Claim 17, wherein x is O,  $NR^7$ ,  $C=O$ ,  $CHOH$ , or  $C=N-R^6$ .

19. The compound of Claim 17, wherein x represents a single bond.

20. The compound of Claim 1, wherein x is O,  $NR^7$ ,  $C=O$ ,  $CHOH$ , or  $C=N-R^6$ .

21. The compound of Claim 1, wherein x represents a single bond.

20 22. The compound of Claim 1, wherein each  $R^6$  is hydrogen.

23. The compound of Claim 1, wherein at most two  $R^6$  are other than hydrogen as defined in Claim 1.

24. The compound of Claim 1, wherein one R<sup>6</sup> is other than hydrogen as defined in Claim 1.

25. The compound of Claim 1, wherein one R<sup>6</sup> is -OH.


26. The compound of Claim 1, wherein each R<sup>L</sup> is hydrogen.

5 27. The compound of Claim 1, wherein at most two R<sup>L</sup> are other than hydrogen as defined in Claim 1.

28. The compound of Claim 1, wherein one R<sup>L</sup> is other than hydrogen as defined in Claim 1.

10 29. The compound of Claim 1, wherein x represents a single bond and the sum of o and p is 4 to 6.


30. The compound of Claim 1, which is represented by the formula



31. The compound of Claim 30, which is in the form of a pharmaceutically acceptable salt.

32. The compound of Claim 31, which is in the form of a hydrochloride salt.


15 33. The compound of Claim 1, which is represented by the formula



34. The compound of Claim 33, which is in the form of a pharmaceutically acceptable salt.

35. The compound of Claim 34, which is in the form of a hydrochloride salt.


36. The compound of Claim 1, which is represented by the formula



5 37. The compound of Claim 36, which is in the form of a pharmaceutically acceptable salt.

38. The compound of Claim 37, which is in the form of a hydrochloride salt.


39. The compound of Claim 1, which is represented by the formula



40. The compound of Claim 39, which is in the form of a pharmaceutically acceptable salt.

41. The compound of Claim 40, which is in the form of a hydrochloride salt.


42. The compound of Claim 1, which is represented by the formula



5 43. The compound of Claim 42, which is in the form of a pharmaceutically acceptable salt.

44. The compound of Claim 43, which is in the form of a hydrochloride salt.

45. The compound of Claim 1, which is represented by the formula





46. The compound of Claim 45, which is in the form of a pharmaceutically acceptable salt.

47. The compound of Claim 46, which is in the form of a hydrochloride salt.

5 48. The compound of Claim 1, which is in the form of a pharmaceutically acceptable salt.

49. A pharmaceutical composition, comprising the compound of Claim 1 and a pharmaceutically acceptable carrier.

10 50. A method of promoting hydration of mucosal surfaces, comprising:  
administering an effective amount of the compound of Claim 1 to a mucosal surface of a subject.

51. A method of restoring mucosal defense, comprising:  
topically administering an effective amount of the compound of Claim 1 to a mucosal surface of a subject in need thereof.

15 52. A method of blocking sodium channels, comprising:  
contacting sodium channels with an effective amount of the compound of Claim 1.

53. A method of treating chronic bronchitis, comprising:  
administering an effective amount of the compound of Claim 1 to a subject in need thereof.

20 54. A method of treating cystic fibrosis, comprising:  
administering an effective amount of the compound of Claim 1 to a subject in need thereof.

55. A method of treating sinusitis, comprising:  
administering an effective amount of the compound of Claim 1 to a subject in need thereof.

5 56. A method of treating vaginal dryness, comprising:  
administering an effective amount of the compound of Claim 1 to the vaginal tract of a subject in need thereof.

57. A method of treating dry eye, comprising:  
administering an effective amount of the compound of Claim 1 to the eye of a subject in need thereof.

10 58. A method of promoting ocular hydration, comprising:  
administering an effective amount of the compound of Claim 1 to the eye of a subject.

59. A method of promoting corneal hydration, comprising:  
administering an effective amount of the compound of Claim 1 to the eye of a subject.

15 60. A method of promoting mucus clearance in mucosal surfaces, comprising:  
administering an effective amount of the compound of Claim 1 to a mucosal surface of a subject.

61. A method of treating Sjogren's disease, comprising:  
administering an effective amount of the compound of Claim 1 to a subject in need thereof.

20 62. A method of treating distal intestinal obstruction syndrome, comprising:  
administering an effective amount of the compound of Claim 1 to a subject in need thereof.

63. A method of treating dry skin, comprising:  
administering an effective amount of the compound of Claim 1 to the skin of a subject  
in need thereof.

5 64. A method of treating esophagitis, comprising:  
administering an effective amount of the compound of Claim 1 to a subject in need  
thereof.

65. A method of treating dry mouth (xerostomia), comprising:  
administering an effective amount of the compound of Claim 1 to the mouth of a  
subject in need thereof.

10 66. A method of treating nasal dehydration, comprising:  
administering an effective amount of the compound of Claim 1 to the nasal passages  
of a subject in need thereof.

67. The method of Claim 66, wherein the nasal dehydration is brought on by  
administering dry oxygen to the subject.

15 68. A method of preventing ventilator-induced pneumonia , comprising:  
administering an effective amount of the compound of Claim 1 to a subject on a  
ventilator.

20 69. A method of treating asthma, comprising:  
administering an effective amount of the compound of Claim 1 to a subject in need  
thereof.

70. A method of treating primary ciliary dyskinesia, comprising:  
administering an effective amount of the compound of Claim 1 to a subject in need  
thereof.

71. A method of treating otitis media, comprising:  
administering an effective amount of the compound of Claim 1 to a subject in need thereof.

5           72. A method of inducing sputum for diagnostic purposes, comprising:  
administering an effective amount of the compound of Claim 1 to a subject in need thereof.

10           73. A method of treating chronic obstructive pulmonary disease, comprising:  
administering an effective amount of the compound of Claim 1 to a subject in need thereof.

74. A method of treating emphysema, comprising:  
administering an effective amount of the compound of Claim 1 to a subject in need thereof.

15           75. A method of treating pneumonia, comprising:  
administering an effective amount of the compound of Claim 1 to a subject in need thereof.

76. A method of treating constipation, comprising:  
administering an effective amount of the compound of Claim 1 to a subject in need thereof.

20           77. The method of Claim 76, wherein the compound is administered orally or via a suppository or enema.

78. A method of treating chronic diverticulitis, comprising:  
administering an effective amount of the compound of Claim 1 to a subject in need thereof.

79. The present invention also provides a method of treating rhinosinusitis, comprising:

administering an effective amount of the compound of Claim 1 to a subject in need thereof.

5           80. A composition, comprising:  
the compound of Claim 1; and  
a P2Y2 inhibitor.

10           81. A composition, comprising:  
the compound of Claim 1; and  
a bronchodilator.